
Meridian 1

Electronic Switched Network

Description

Document Number: 309-3001-100

Document Release: Standard 8.00

Date: October 1997

© 1982, 1997

All rights reserved

Printed in Canada

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules, and the radio interference regulations of Industry Canada. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Revision history

October 1997

Issue 8.00 released as Standard for Generic X11 Release 23.0x.

July 1995

Standard release 7.0 introduces the following X11 release 21 features and capabilities:

- Collect Call Blocking
- DPNSS!/DASS2 UDP interworking

All changes are indicated with change bars closest to the outside edge of the page.

July 1994

Standard release 6.0 introduces the following X11 release 20 features and capabilities:

- Interchangeable Numbering Plan Area Codes, and
- Federal Communications Commission Equal Access Carrier Access Code Expansion.
- Flexible Numbering Plan.

August 1993

This document is reissued to include changes for X11 release 19.

May 1992

This document is reissued to include some content changes.

December 1991

This document is reissued to include technical content changes.

December 1990

This document is reissued to include updates and changes for X11 release 16.

Contents

Introduction	1
References	1
Switch definitions	4
Network Class Of Service	7
Facility Restriction Level	8
Expensive Route Warning Tone	8
Queuing	8
Network Alternate Route Selection	9
NARS access codes	11
Uniform dialing plan	11
End-of-dial timing	11
UDP for on-net calling	12
UDP for off-net calling	13
UDP for switch equipped with directory number expansion	13
Flexible Numbering Plan	18
Dialing transparency	19
Automatic least-cost routing	19
Route eligibility	21
Example	21
Digit manipulation	21
Example	21
Time-of-day routing	22

Flexible ESN “0” Routing	23
Automatic on-net to off-net overflow	23
Example	24
Requirements	24
Multiple DID office code screening (X11 Release 5+)	24
Requirements	25
Incoming trunk group exclusion (X11 Release 5+)	25
Off-net number recognition	26
Digit translation/ restriction/ recognition	27
Supplemental digit restriction (release dependent)	29
Free Calling Area Screening	31
Free Special Number Screening	32
Expensive Route Warning Tone	33
NARS bypass control	33
Network speed call	34
Network Call Transfer (NXFER)	35
Network Call Transfer example	35
1+ Dialing	36
Interchangeable Numbering Plan Area codes impact	37
Federal Communication Commission Equal	
Access Carrier Access Code Expansion impact	39
Dialing Plan considerations	40
Carrier Access Codes dialing sequences	
with special characters	43
Configuring Equal Access within a Network	43
Network control	45
ESN main NCOS	45
ESN node TCOS	46
ETN switch compatibility	47
Network signaling	49
Application	50

Requirements	51
Satellite link control	52
Requirements	52
Routing control	53
NCOS map	53
Invoking routing control	53
Call-Back Queuing	55
Options	55
Eligibility	56
Offer	57
Callback	58
Feature interactions	59
Off-Hook Queuing	61
Eligibility	61
Availability	62
Offer	63
Feature interactions	63
Coordinated Call-Back Queuing	65
Eligibility	65
Offer	66
Callback	66
Feature interactions	67
Coordinated Call-Back Queuing Against Main	68
Call-Back Queuing to Conventional Mains	69
Eligibility	69
Offer	69
Callback	70
Requirements	71

Coordinated Dialing Plan	73
Steering codes	75
Associated documents	76
Conventional switch access	77
CDP routing	78
CDP digit manipulation	78
CDP Time-of-Day schedules	79
Queuing	79
Federal Communication Commission Equal Access Carrier	
Access Code Expansion impact	79
Dialing Plan considerations	81
Carrier Access Codes dialing sequences	
with special characters	84
Configuring Equal Access within a Network	84
Feature interactions	85
Flexible Numbering Plan	89
On-net dialing	90
Off-net dialing	91
End-of-dial timing	91
ESN feature interactions	92
Feature operation and implementation	92
Network traffic measurements	93
Routing traffic measurements	93
OHQ measurements	96
CBQ measurements	97
NCOS measurements	99
Incoming trunk group measurements	101
OHQ threshold violation measurement	104
Traffic measurement options	104
List of terms	105